

TENDER DOCUMENT

FOR

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF 250 KVA GENERATORS FOR VARIOUS STATIONS

KRA/HQS/NCB-055/2019-2020

TIMES TOWER BUILDING P.O. BOX 48240 – 00100 TEL: +254 02 2817022

EMAIL: <u>eprocurement@kra.go.ke</u> NAIROBI, KENYA.

CLOSING DATE: 20th February, 2020 TIME: 11:00 AM

> PRE-BID: 29th January, 2020 TIME: 11.00 AM

> > January, 2020

CHECKLIST FORM

This form has been provided to help bidders in preparation of their bids ensuring that all the tender mandatory requirements are in place. Bidders are therefore required to tick once they attach or fill/sign the documents that the tender has requested for.

S/N	ITEM DESCRIPTION	Mandatory
		Kindly tick once attached
1.	Copy of valid Tax Compliance Certificate	
2.	Certificate of Incorporation/ Certificate of Registration of Business Name	
3.	Power of Attorney (Sole Proprietors Exempted)	
4.	Tender Security of Kshs 100,000.00 valid for 365 days from tender closing date (i.e. 19 th February, 2021)	
5.	Reference Letter from the bank indicating that the firm is currently operating an account(dated at least within the last 6months)	
6.	Duly filled, signed and stamped Confidential Business Questionnaire	
7.	Duly filled , signed and stamped Form of Tender	
8.	Proof of Certification/ Accreditation/ Manufacturer's Authorization)	
9.	 Filled, Signed and Stamped Site Visit Form for the respective Station Malaba: 30th January 2020 Isebania: 31st January 2020 Lunga Lunga: 04th February 2020 KESRA: 05th February 2020 N/B: This is NOT a Mandatory Requirement. 	

TABLE OF CONTENTS

SECT: INVIT	ION I TATION TO TENDER	3
SECT INSTF	ION II RUCTIONS TO TENDERERS	4
Apper	ndix to Instructions to Tenderers	16
	ION III RAL CONDITIONS OF CONTRACT	18
	ION IV IAL CONDITIONS OF CONTRACT	24
SECT TECH	ION V NICAL SPECIFICATIONS	26
	ION VI E SCHEDULE FOR EQUIPMENT	34
	ION VII DARD FORMS	36
8.1	FORM OF TENDER	37
8.2	CONFIDENTIAL BUSINESS QUESTIONNAIRES FORM	38
8.3	TENDER SECURITY FORM	41
8.4	CONTRACT FORM	42
8.5	PERFORMANCE SECURITY FORM	43
8.6	BANK GUARANTEE FOR ADVANCE PAYMENT FORM	44
8.7	MANUFACTURER'S AUTHORIZATION FORM	45
8.8	LETTER OF NOTIFICATION	46

SECTION I

INVITATION TO TENDER



Tender Notice

1. The Kenya Revenue Authority invites sealed bids from eligible candidates for the following tenders:

NO.	DESCRIPTION	ELIGIBILITY	PRE BID DATE AND TIME	CLOSING DATE AND TIME
1	KRA/HQS/NCB- 055/2019-2020: Supply, Delivery, Installation, Testing and Commissioning of 250KVA Generators for Various Stations	OPEN	29 th JANUARY, 2020 11.00 AM TIMES TOWER, NAIROBI	20 TH FEBRUARY, 2020 11.00 AM TIMES TOWER, NAIROBI

2. Interested eligible candidates may obtain further information and inspect the tender documents with detailed requirements at the office of the:

Deputy Commissioner-Supply Chain Management Times Tower Building, 25th Floor, P.O Box 48240– 00100 GPO, Tel. +254 020 310900 Nairobi, Kenya. website: www.kra.go.ke Email :eprocurement@kra.go.ke

- 3. A complete set of bidding documents in English may be obtained from KRA E-Procurement portal available on the KRA website <u>www.kra.go.ke</u>. Prospective bidders should register for E-Procurement to enable them access the KRA portal under "New Supplier Registration" found under the Tender Tab.
- 4. Existing Suppliers with V-numbers and SRM passwords will automatically obtain the tender document in their SRM supplier portal. Existing Suppliers List is available on Kra Website under Tenders.
- 5. Qualification requirements; Refer to Section v of the bidding document.
- 6. Completed Bids are to be saved as PDF documents marked "KRA/HQS/NCB-055/2019-2020: Supply, Delivery, Installation, Testing and Commissioning of 250 KVA Generators for Various Stations" and submitted to the appropriate KRA E-procurement Web Portal found on the KRA website so as to be received on or before 20th February 2020 at 11.00 a.m.
- 7. Submission should strictly be done to KRA E-Procurement Portal. Bidders to note that system bid submission issues shall not be addressed within 24 hours to the tender opening date and time.
- 8. Bids will be opened electronically promptly after closing time and Bidders or their representatives are welcome to witness the opening at **Times Tower Building.**
- 9. Site Survey is NOT mandatory for the station the bidder intends to bid for; However, Bidders are encouraged to visit the site to enable them quote from an informed point of view.

SECTION II - INSTRUCTIONS TO TENDERERS

Table of Clauses

Page

2.1	Eligible Tenderers	6
2.2	Eligible Goods	6
2.3	Cost of Tendering	6
2.4	Contents of Tender Document	6
2.5	Clarification of Documents	7
2.6	Amendment of Documents	7
2.7	Language of Tender	8
2.9	Tender Forms	8
2.10	Tender Prices	8
2.11	Tender Currencies	9
2.12	Tenderers Eligibility and Qualifications	9
2.13	Goods' Eligibility and conformity to Tender Documents	9
2.15	Validity of Tenders	10
2.16	Format and Signing of Tenders	10
2.18	Deadline for Submission of Tender	11
2.19	Modification and Withdrawal of Tenders	11
2.20	Opening of Tenders	11
2.21	Clarification of Tenders	12

2.22	Preliminary Examination	12
2.23	Conversion to Single Currency	12
2.24	Evaluation and Comparison of Tenders	13
2.25	Preference	13
2.26	Contacting the Procuring Entity	13
2.27	Award of Contract	13
(a) (b)	Post qualification	13 14
(c)	Procuring Entity's Right to Vary Quantities	14
(d)	Procuring entity's Right to Accept or Reject any or all Tenders	14
2.28	Notification of Award	14
2.29	Signing of Contract	14
2.30	Performance Security	15
2.31	Corrupt or Fraudulent Practices	15

SECTION II - INSTRUCTIONS TO TENDERERS

2.1

2.2

Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The Kenya Revenue Authority's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Kenya Revenue Authority (KRA) to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the KRA, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

2.3.2 The bid document shall be downloaded from KRA website free of charge.

2.4 The Tender Document

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers
 - (i) Invitation to Tender
 - (ii) Instructions to tenderers
 - (iii) General Conditions of Contract
 - (iv) Special Conditions of Contract
 - (v) Schedule of requirements
 - (vi) Technical Specifications
 - (vii) Tender Form and Price Schedules
 - (viii) Contract Form
 - (ix) Performance Security Form
 - (x) Bank Guarantee for Advance Payment Form
 - (xi) Manufacturer's Authorization Form
 - (xii) Confidential Business Questionnaire.
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the KRA's response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

Amendment of Documents

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the KRA, at its discretion, may extend the deadline for the submission of tenders.

Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the KRA, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 **Documents Comprising of Tender**

- The tender prepared by the tenderers shall comprise the 2.8.1 following components:
 - a Tender Form and a Price Schedule (a) completed in accordance with paragraph 2.9, 2.10 and 2.11 below;
 - (b) documentary evidence established in accordance with paragraph 2.1.2 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) documentary evidence established in accordance with paragraph 2.2.1 that the goods and ancillary services to be supplied by the tenderer are eligible goods and conform to the services and tender documents: and
 - tender security furnished in accordance with (d) paragraph 2.14

Tender Forms

2.9.1 The tenderer shall complete the Tender Form and the

2.9

2.7

appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 Tender Prices

- 2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract.
- 2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the KRA.
- 2.10.3 Prices quoted by the tender shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22.
- 2.10.4 The validity period of the tender shall be 60 days from the date of opening of the tender.

2.11 Tender Currencies

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

- 2.12.1 Pursuant to paragraph 2.1 the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.
- 2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the KRA's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1.
- 2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the KRA's satisfaction;
 - (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods;
 - (b) that the tenderer has the financial, technical, and production capability necessary to

perform the contract; and

(c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

- 2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract
- 2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristic of the goods;
 - (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods following commencement of the use of the goods by the KRA; and
 - (c) a clause-by-clause commentary on the KRA's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are

intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for 335 days or as specified in the Invitation to Tender after the date of tender opening prescribed by the KRA, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the KRA as non responsive.
- In exceptional circumstances, the KRA may solicit the 2.15.2 Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. Α tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender

2.16 **Format and Signing of Tender**

- The Technical and Financial shall be Combined. The 2.16.1 bids shall be submitted through the KRA Supplier Portal. The combined technical and the financial proposal shall be submitted in the Notes and Attachments section.
- The original and all copies of the tender shall be typed 2.16.2 or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

Deadline for Submission of Tenders

2.17.1 Tenders must be submitted to KRA through the Supplier Portal not later than 20th February, 2020 at 11:00 AM. The system shall not permit submission

2.17

after the said date and time.

2.17.2 The KRA may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the KRA and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.18 Modification and Withdrawal of Tenders

- 2.18.1 The tenderer may modify the tender after submission and resubmit to the respective folders. All prior submissions cannot be deleted or overwritten. Tenderer to note that the latest submission shall be considered as the final version and all prior submissions shall be disregarded.
- 2.18.2 The Tenderers may withdraw their submissions prior to the tender closing date and time through the supplier portal. A tender once withdrawn cannot be resubmitted. Where a tenderer withdraws his bid after submission of the bid security, he/she shall collect the bid security from KRA after the tender is opened.
- 2.18.3 The KRA may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 2.18.4 The KRA shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.19 Opening of Tenders

2.19.1 The KRA will open all tenders in the presence of tenderers' representatives who choose to attend, at 11:00 am on THURSDAY, 20TH FEBRUARY, 2020." and in the location specified in the Invitation to Tender.

The tenderers' representatives who are presence shall sign a register evidencing their attendance.

- 2.19.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the KRA, at its discretion, may consider appropriate, will be announced at the opening.
- 2.19.3 The KRA will prepare minutes of the tender opening.

2.20 Clarification of Tenders

- 2.20.1 To assist in the examination, evaluation and comparison of tenders the KRA may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.20.2 Any effort by the tenderer to influence the KRA in the KRA's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.21 Preliminary Examination

- 2.21.1 The KRA will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.21.2 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity. If there is a discrepancy between words and figures the amount in words will prevail.
- 2.21.3 The KRA may waive any minor informality or nonconformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any tenderer.
- 2.21.4 Prior to the detailed evaluation, pursuant to paragraph 2.22 the KRA will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The KRA's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 2.21.5 If a tender is not substantially responsive, it will be rejected by the KRA and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

14

2.22 Conversion to Single Currency

2.22.1 Where other currencies are used, the KRA will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.23 Evaluation and Comparison of Tenders

- 2.23.1 The KRA will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22
- 2.23.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- 2.23.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.24 Preference

2.24.1 Kenya Revenue Authority does not allow any margin of preference.

2.25 Contacting the Kenya Revenue Authority

- 2.25.1 Subject to paragraph 2.21 no tenderer shall contact the KRA on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.25.2 Any effort by a tenderer to influence the KRA in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.26 Award of Contract

(a) **Post-qualification**

- 2.26.1 In the absence of pre-qualification, the KRA will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.26.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as

such other information as the KRA deems necessary and appropriate.

2.26.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the KRA will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.26.4 The KRA will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) KRA's Right to Vary Quantities

2.26.5 The KRA reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

(d) KRA's Right to Accept or Reject Any or All Tenders

2.26.6 The KRA reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the KRA's action.

2.27 Intention of Award

- 2.27.1 Prior to the expiration of the period of tender validity, the KRA will notify the successful tenderer in writing that its tender has been accepted.
- 2.27.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties.

2.27.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the KRA will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14.

2.28 Signing of Contract

- 2.29.1 At the same time as the KRA notifies the successful tenderer that its tender has been accepted, the KRA will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.
- 2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.
- 2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the KRA.

2.29 Performance Security

- 2.29.1 Within Thirty (30) days of the receipt of notification of award from the KRA, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the KRA.
- 2.29.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the KRA may make the award to the next lowest evaluated Candidate or call for new tenders.

2.30 Corrupt or Fraudulent Practices

- 2.30.1 The KRA requires that tenderers' observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;
 - (i) "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a

misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Kenya Revenue Authority, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Kenya Revenue Authority of the benefits of free and open competition;

- 2.30.2 The Kenya Revenue Authority will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.30.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers.

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS	
2.1.1	The tender is open to qualified firms for Supply , Delivery , Installation , Testing and Commissioning of 250 KVA Generators for Various Stations	
2.1.2	The Declaration of No Conflict of Interest is incorporated in the Confidential Business Questionnaire.	
2.3.2	The bid document shall be downloaded free of charge.	
2.10.4	Bid Validity Period is 335 days from THURSDAY 20TH FEBRUARY , 2020 .	
2.13.3	The technical specifications are given in pages 27.	
2.14.1	Bidders are required to submit a bid security of Kshs 100,000.00 which must be valid until 19 th February 2021	
2.16.2	The bidder must provide an appropriate written power of attorney establishing the authorization to of the signatory to the tender documents to bind the bidder.	
2.17	The bidder shall submit a technical and financial proposals electronically via the supplier portal in the respective folders within the tendering period. The Tender shall open on 20 th February, 2020 at 11:00 am. Place : Convention Centre on the 5 th Floor of Times Tower Building.	
	Street: Haile Selassie Avenue City: Nairobi Country: Kenya.	
2.20	Opening of tender documents will be done in public at the time of closing the tender.	
	Site Visit is NOT Mandatory.	
2.22	Bidders are expected to examine all instructions, forms, terms, specifications, and other information in	

	the Bidding Documents.
	Failure to furnish all information required by the Bidding Documents or to submit a bid not substantially responsive to the Bidding Documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.
2.24	The bid evaluation will take into account tender responsiveness, vendor, technical factors in addition to cost factors. Bidders must conform to the specific Technical Requirements in Section IV where Pass or Fail will be used as a criteria for evaluation.
	The award will be to the Lowest Evaluated Bidder and is eligible for Contract award.
	Bidders Must conform to the specific Technical Requirements in Section IV
2.25	Preference KRA will not grant any preferences
2.30	The performance security required will be 10% of the Contract Value.
2.31	Anti-corruption Affidavit
	KRA will require a supplier of goods and/or services to swear an affidavit to the effect they will not have offered or been requested to pay an inducement to a member of the Board, Management and/or Staff of KRA to influence the outcome of the bid.

SECTION III: GENERAL CONDITIONS OF CONTRACT

Table of Clauses

3.1	Definitions	20
3.2	Application	20
3.3	Country of Origin	20
3.4	Standards	20
3.5	Use of Contract Documents and Information	20
3.6	Patent Rights	21
3.7	Performance Security	21
3.8	Inspection and Tests	21
3.9	Packing	22
3.10	Delivery and Documents	22
3.11	Insurance	22
3.12	Payment	22
3.13	Price	22
3.14	Assignments	23
3.15	Sub contracts	23
3.16	Termination for Default	23
3.17	Liquidated Damages	23
3.18	Resolution of Disputes	23
3.19	Language and law	24
3.20	Force Majeure	24

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1

Definitions

- 3.1.1 In this Contract, the following terms shall be interpreted as indicated:-
 - (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
 - (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
 - (d) "The Procuring entity" means Kenya Revenue Authority (KRA), the organization purchasing the Goods under this Contract.
 - (e) "The Tenderer' means the individual or firm supplying the Goods under this Contract.

3.2

Application

3.2.1 These General Conditions shall apply in all Contracts made by the KRA for the procurement installation and commissioning of equipment

3.3 Country of Origin

- 3.3.1 For purposes of this clause, "Origin" means the place where the Goods were mined, grown or produced.
- 3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

- 3.5.1 The tenderer shall not, without the KRA's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the KRA in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the KRA's prior written

consent, make use of any document or information enumerated in paragraph 3.5.1 above.

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the KRA on completion of the Renderer's performance under the Contract if so required by the KRA.

3.6 Patent Rights

The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the KRA's country.

3.7 Performance Security

- 3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.
- 3.7.2 The proceeds of the performance security shall be payable to the KRA as compensation for any loss resulting from the Renderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the KRA and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the KRA, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by the KRA and returned to the Candidate not later than thirty (30) days following the date of completion of the Renderer's performance obligations under the Contract, including any warranty obligations, under the Contract.

3.8 Inspection and Tests

- 3.8.1 The KRA or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The KRA shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance,

including access to drawings and production data, shall be furnished to the inspectors at no charge to the KRA.

- 3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alternations necessary to make specification requirements free of costs to the KRA.
- 3.8.4 The KRA's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.
- 3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 Packing

- 3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract.

3.10 Delivery and Documents

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract.

3.11 Insurance

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

Indemnity

3.12 3.12.1 The Procuring Entity agrees to indemnify and hold harmless Contractor and its affiliates and each of their respective directors, officers, agents, employees and subcontractors (each an "indemnitee"), and defend them from and against any and all claims (whether during or after the term) that may arise or result from the performance of obligations under the contract

by or on behalf of Contractor, except to the extent any such claims result from a breach of this contract directly attributable to the gross negligence or willful misconduct of such

indemnitee

Prices

3.13 Payment

- 3.13.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract.
- 3.13.2 Payments shall be made promptly by the KRA as specified in the contract.

3.14

- 3.14.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.
- 3.14.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months).
- 3.14.3 Where the cumulative value of all contract variations request should not result in an increment of the total contract price by more than twenty five (25 %) of the original contract price.
- 3.14.4

The price or quantity variation shall be executed within the period of the contract.

3.14.5 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.15 Assignment

3.15.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the KRA's prior written consent.

3.16 Subcontracts

3.16.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract.

3.17 Termination for Default

- 3.17.1 The KRA may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part:
 - (a) if the tenderer fails to deliver any or all of the goods

within the periods) specified in the Contract, or within any extension thereof granted by the KRA;

- (b) if the tenderer fails to perform any other obligation(s) under the Contract;
- (c) If the tenderer, in the judgment of the KRA has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
- 3.16.2 In the event the KRA terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

3.18 Liquidated Damages

3.18 If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.19 Resolution of Disputes

- 3.19.1 The KRA and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract
- 3.19.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.20 Language and Law

3.20.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.21 Force Majeure

3.21.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

- 4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.
- 4.2. Special conditions of contract as relates to the GCC.

REFERENCE	SPECIAL CONDITIONS OF CONTRACT
OF GCC	
4.7.1	
4.9	Performance Security The performance security required will be 10% of the Contract Value.
4.10	Delivery
	The 250 KVA generators shall be delivered to different KRA One Stop Border Posts (OSBPs) in Lunga Lunga, Isebania Malaba and at KESRA – Mombasa at the times indicated in the delivery schedule by the successful bidder from the date of receiving the Purchase Order (LPO). The requirements may be adjusted by giving a short notice.
4.12	Payment Terms The Kenya Revenue Authority (KRA) payment terms are that payment shall be made within thirty (30) days from the date of delivery and signing of receipt. However, KRA may negotiate mutually acceptable payment terms with the successful tenderer.
4.13	Prices Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.
4.17	Liquidated Damages If the delivery date is extended (except by mutual consent) a penalty amounting to 0.5% of the total cost will be charged per day up to a maximum of thirty (30) days. No deliveries shall be accepted after the thirtieth working day in which case the LPO will automatically lapse and be deemed to have been cancelled at the close of business on the twentieth day. The Authority shall then be at liberty to realize the performance bond. In this clause, "days" means working days.
4.18.1	Resolutions of Disputes

Any dispute, controversy or claim between the Parties arising out of this Contract or the breach, termination or invalidity thereof, unless settled amicably under the preceding paragraph of this Article within sixty (60) days after receipt by one Party of the other Party's request for such amicable settlement, shall be referred by either Party to arbitration in accordance with the UNCITRAL Arbitration Rules then obtaining. The place of arbitration shall be Nairobi. The arbitral tribunal shall have no authority to award punitive damages. In addition, unless otherwise expressly provided in this Contract, the arbitral tribunal shall have no authority to award interest. The parties shall be bound by any arbitration award rendered as a result of such arbitration as the final adjudication of any such controversy, claim or dispute. 4.19 The language of all correspondence and documents related to the bid is: English. Unless explicitly specified in the Technical Requirements section, the key passages of all accompanying printed literature in any other language must be translated into the above language.

SECTION V - TECHNICAL SPECIFICATIONS

5.1 General

- 5.1.1 The specifications describe the requirements for goods.
- 5.1.4 The tenderers are requested to present information along with their offers as follows:
 - (i) Shortest possible delivery period of each product/service

5.2 Particulars

Kenya Revenue is intending to procure 250 KVA generators as detailed in the price schedule. The procurement involves;

5.3 Technical Requirements:

This tender covers Supply, Delivery, Installation and Commissioning of 250 KVA generators for various stations

The Table overleaf gives the minimum clause-by-clause technical specifications. Bidders are required to duly fill in the tables under the "Bidder's Response" column to respond, irrespective of any attachments included. Failure to conform to this condition will render the bid being treated as non-responsive.

TECHNICAL SPECIFICATIONS FOR 250 KVA GENERATORS

SPECIFICATIONS OF SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF 250 KVA GENERATORS FOR VARIOUS STATIONS

Instructions to Bidders

1. Bidders are required to fill the table below or use its format to respond.

2. Bidders <u>MUST</u> provide a substantive response for all features irrespective of any attached technical documents. Use of <u>Yes, No, tick, compliant</u> etc. will be considered non responsive.

3. Any attached brochures and write-ups should be cross referenced to the technical specifications.

4. Bidders <u>MUST</u> append official company stamp and/or authorized signature on all attached technical data sheets.

5. Site visit is mandatory for all the lots. Bidders are therefore required to attend site survey for each location and attain a duly filled, signed and stamped site visit form for each site.

SPECIFICATIONS OF SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF OPEN TYPE & SOUNDPROOFED STANDBY 250KVA GENERATOR FOR KRA STATIONS

DATA SHEET SPECIFICATION- CLAUSE BY CLAUSE TECHNICAL

	FEATURE/ATTRIBUTE	MINIMUM KRA REQUIREMENT	BIDDER RESPONSE (must be highlighted on DATA SHEET as necessary)
1	Decommission the 100kVA generator, carefully listing an inventory of the existing components (e.g. Changeover switch, terminals, etc.)	Mandatory	
2	Relocate the decommissioned generator and place at a site as directed by the Authorized KRA officer	Mandatory	
3	Construct plinth for generator of 100mm high measuring 4050mm x 2000mm for mounting of a generator.	Mandatory	
4	Construct a generator shade with slanting roof to adequately cover the generator on item 1 but using hollow square tubes measuring 50mm x 50mm at the corners but well supported in between the corners and	Mandatory	

	FEATURE/ATTRIBUTE	MINIMUM KRA REQUIREMENT	BIDDER RESPONSE (must be highlighted on DATA SHEET as necessary)
	offering adequate space for the doors on both sides.		
5	Supply, install, test and commission a 250KVA water-cooled diesel engine generator set complete with canopy and auto mains failure DIGITAL engine control unit (ECU) The engine must have an oil lift pump for sump drainage.	Mandatory	
6	Supply and install a 400Amp automatic change over switch complete with triple pole and neutral contactors and mechanical interlock as ABB or approved equivalent for both power and generator operation. The changeover switch must in corporate by – pass switches. The panel should include the following; Generator voltages Mains on delay timer Mains off delay timer Control 11 pin relay Generator on use indicator lamp Mains on use indicator lamp Mains available indicator lamp Generator cool down timer	Mandatory	
7	Supply and install a 95sq mm 4 core PVCSWAPVC copper cable from the generator to the change over switch using 32mm brass cable gland on both sides. The cable termination must be by use of tinned cable lugs.	Mandatory	
8	Reroute the existing 2.5 mm^2 4-core PVCSWAPVC copper cable for generator signal using 20mm brass cable gland on both sides.	Mandatory	
9	Quarterly maintenance including all spares and consumables	Mandatory	
10	Delivery Time	90 days	
11	Installation/testing/commissioning Time	Give detailed day-by- day task program	
12	Maintenance Plan	Provide Equipment manuals	
13	Warranty	12 months	
14	Generator Make	Attach data sheet	

	FEATURE/ATTRIBUTE	MINIMUM KRA REQUIREMENT	BIDDER RESPONSE (must be highlighted on DATA SHEET as necessary)
		and highlight the items below	
15	Prime Power	225 kVA	
16	Standby Power	247.5 kVA	
17	Output Voltage	400Vac, 3 phase 50Hz	
18	Power	250kVA	
19	Noise Level (1m @ 70% load)	65dBA at 7m, 74dBA at 1m	
20	Control Panel	Attach data sheet	
	Dimensions (WxDxH)	1400x3750x2300mm	
	Nett Weight	State weight	

	FEATURE/ATTRIBUTE		MINIMUM KRA REQUIREMENT	BIDDER RESPONSE (must be highlighted on DATA SHEET as necessary)
21	Digital Engine Control Unit Make		Attach data sheet and highlight the items below	
A	Communications transmission ports		RS232 RS485	
В	Ethernet connectivity		USB PORT USB HOST	
С	Configurable inputs		Eleven (11)	
D	DC outputs		Six (6)	
Е	Analogue Senders		Four (4)	
F	Emergency Stop		Mandatory	
G	DC-power supply		8-35 volts	
Н	Mains utility sensing		3 phases and Neutral	
J	NORMALLY CLOSED VOLT FREE OUTPUT		One (1)	
K	NORMALLY OPEN VOLT FREE OUTPUT		One (1)	
L	Generator sensing	Current	3 phases Neutral and Earth	
		Voltage	3 phases and Neutral	

NOTES

- Provision of necessary training to users on ground
 100% safety assurance plus user friendly.

b) Instructions on Submission of Bids

(i) The Tenderer must submit a technical and financial proposals electronically via the supplier portal in the respective folders within the tendering period.

PROPOSAL Comprising of the following documents Presented in the order given:

Section	Document	
А	Tender Notice/Invitation to Tender	
В	Valid Tax Compliance	
D	Power of Attorney	
Ε	Dully filled, signed and stamped Confidential Business	
	Questionnaire	
F	Business Registration Certificate/Certificate of incorporation	
G	NCA Certificate	
Н	Statement of Experience	
Ι	Details of Three Major Clients	
J	Manufacturers Authorization/Dealership certificate	
Κ	Signed and stamped Tender Form and Price Schedules	

Ι **Tender Responsiveness Criteria**

The submission of the following items will be required in the determination of the Completeness of the Bid. Bids that do not contain all the information required will be declared non-responsive and shall not be evaluated further.

	Description of Criteria		
1.	Submission of Tender Documents		
	 Power of Attorney¹ (Sole Proprietors Exempted) Dully Filled, signed and stamped Tender Declaration Security Form 		
2.	Company Profile		
	 Attach copy of Registration Certificate of Business/Certificate of Incorporation 		
	 Duly Filled, Signed and Stamped Confidential Business Questionnaire. 		
	 Manufacturer's Authorization or Dealership Certificate. 		
	 Bidder should be registered with National Construction Authority (NCA 6 & Above) under Electrical/Mechanical services. 		
4.	Financial Resources		
	 Provide a Reference Letter from the Bank (at least within the last six (6) months from date of closing of this tender) 		
5.	Social Obligations		
	Submit certificate of compliance for the following;		
	 Valid Tax Compliance Certificate² 		

 ¹ Bidder to attach documentary proof of authority to sign the bid documents on behalf of the bidder.
 2 A Current Certificate of Compliance should be sought from the KRA in the case of local suppliers or agents. International bidders will be required to swear an affidavit to the effect that they have complied with taxation requirements in their country.

(d) Vendor Evaluation Criteria

The following criteria will be used in the evaluation of all potential suppliers.

The documents submitted will be evaluated for suitability and awarded marks which will contribute to a maximum 15% of the total tender evaluation.

Description of Criteria	Maximum Score	Cut off
Managerial and Key Personnel Competency Profiles	9	Score 5
Key Staff's Competency (Attach 3 CVs which should be		
supported by academic certificates and should state the years		
of experience. Key staff should have knowledge of		
electrical/mechanical engineering or equivalent. State the		
years of experience i		
Academic Qualification:		
Degree 1.5 marks		
Diploma1 mark		
Experience		
5 years and above 1.5 marks		
Below 5 years1 mark		
Experience/Reputation of the Firm	5	3
 Indicate number of continuous year of service in the field 		
related to supply and installation of Generator sets &		
Servicing.		
5 years and above5 marks		
3-5 year		
Below 3 years 2 mark		
 Reference Sites/clients relevant to this project (at least three 	6	4
(3) clients where the bidder has successfully supplied and		
commissioned a generator whose capacity is above 100		
KVA. Attach contracts or LPO/LSO or reference letter		
• For each site bidder should provide a brief description of		
service scope rendered, value of contracts, and contact		
person phone number and email addresses)		
(2 marks for each reference letter/ copy of LPO or LSO/Completion certificate with full details)		
Total Score	20	12

(e) Overall Tender Evaluation Criteria

The tender evaluation criteria is weighted as follows; -

Criteria	Cut Off Scores	
Tender Responsiveness	Mandatory	
Vendor Evaluation	12/20	
Technical Specifications	Pass or Fail Bidder to meet all the Minimum specifications requirements	
Financial & Delivery Schedules	Award will be to the lowest evaluated bidder.	

SECTION VII - PRICE SCHEDULE FOR EQUIPMENTS IN KSHS.

LOT 1: ONE STOP BORDER POSTS (OSBPS) IN LUNGA LUNGA

 Name of tenderer
 Tender Number
 Page _____ of ___

Item	Description	Unit	Qty	Rate	Amount
1	Decommission the existing generator, carefully listing an inventory of the	Item	1		
	existing components (e.g. Changeover switch, terminals, etc.)				
2	Relocate the decommissioned generator and place at a site as directed by	Item	1		
	the Authorized KRA officer				
3	Construct plinth for generator of 100mm high measuring 4050mm x	Item	1		
	2000mm for mounting of a generator.				
4	Construct a generator shade with slanting IT4 profile coated G28 CGI	Item	1		
	sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately				
	cover the generator on item 1 but using hollow square tubes measuring				
	50mm x 50mm at the corners but well supported in between the corners				
	and offering adequate space for the doors on 4 sides. All side panels to be				
	lockable				
5	Supply, install, deliver, test and commission a 250KVA water-cooled	No.	1		
	diesel engine generator set complete with canopy and auto mains failure				
	DIGITAL control module.				
	The engine must have an oil lift pump for sump drainage.				
6	Supply and install a 400Amp automatic change over switch complete	No.	1		
	with triple pole and neutral contactors and mechanical interlock as ABB				
	or approved equivalent for both power and generator operation. The				
	changeover switch must in corporate by - pass switches. The panel				
	should include the following;				
	Generator voltages				
	Mains on delay timer				

Item	Description	Unit	Qty	Rate	Amount
	Mains off delay timer				
	• Control 11 pin relay				
	Generator on use indicator lamp				
	Mains on use indicator lamp				
	Mains available indicator lamp				
	Generator cool down timer				
7	Supply and install a 95-mm2 4 core PVCSWAPVC copper cable from	Mts.	96		
	the generator to the changeover switch using 32mm brass cable gland on				
	both sides. The cable termination shall be by use of tinned cable lugs.				
8	Reroute the existing 2.5 mm ² 4-core PVCSWAPVC copper cable for	Mts.	96		
	generator signal using 20mm brass cable gland on both sides.				
9	Quarterly maintenance including all spares and consumables (filters,	No.	8		
	coolant and lubricants)				
10	Provide Contingency of 10% of Sub-Total				
Sub -	total				
16% V	/AT (where applicable)				
_	ND TOTAL				
(To be	e carried to the form of tender)				

LOT 2: ISEBANIA

Name of tenderer	Tender Number	Page	of
------------------	---------------	------	----

Item	Description	Unit	Qty	Rate	Amount
1	Decommission the existing generator, carefully listing an inventory of the	Item	1		
	existing components (e.g. Changeover switch, terminals, etc.)				
2	Relocate the decommissioned generator and place at a site as directed by	Item	1		
	the Authorized KRA officer				
3	Construct plinth for generator of 100mm high measuring 4050mm x	Item	1		
	2000mm for mounting of a generator.				

Item	Description	Unit	Qty	Rate	Amount
4	Construct a generator shade with slanting IT4 profile coated G28 CGI	Item	1		
	sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately				
	cover the generator on item 1 but using hollow square tubes measuring				
	50mm x 50mm at the corners but well supported in between the corners				
	and offering adequate space for the doors on 4 sides. All side panels to be				
	lockable				
5	Supply, deliver, install, test and commission a 250KVA water-cooled	No.	1		
	diesel engine generator set complete with canopy and auto mains failure				
	DIGITAL control module.				
_	The engine must have an oil lift pump for sump drainage.				
6	Supply and install a 400Amp automatic change over switch complete	No.	1		
	with triple pole and neutral contactors and mechanical interlock as ABB				
	or approved equivalent for both power and generator operation. The				
	change over switch must in corporate by – pass switches. The panel				
	should include the following;				
	Generator voltages				
	Mains on delay timer				
	Mains off delay timer				
	Control 11 pin relay				
	Generator on use indicator lamp				
	Mains on use indicator lamp				
	Mains available indicator lamp				
	Generator cool down timer				
7	Supply and install a 95 mm ² 4 core PVCSWAPVC copper cable from the	Mts.	96		
	generator to the change over switch using 32mm brass cable gland on				
	both sides. The cable termination shall be by use of tinned cable lugs.				
8	Reroute the existing 2.5 mm ² 4-core PVCSWAPVC copper cable for	Mts.	96		
	generator signal using 20mm brass cable gland on both sides.				
9	Quarterly maintenance including all spares and consumables (filters,	No.	8		
	coolant and lubricants)				
10	Provide Contingency of 10% of Sub-Total				

Item	Description	Unit	Qty	Rate	Amount
Sub -	total				
16% V	/AT (where applicable)				
GRA	ND TOTAL				
(To be	e carried to the form of tender)				

LOT 3: MALABA

Name of tenderer	Tender Number	Page	of
------------------	---------------	------	----

Item	Description	Unit	Qty	Rate	Amount
1	Decommission the existing generator, carefully listing an inventory of the	Item	1		
	existing components (e.g. Changeover switch, terminals, etc.)				
2	Relocate the decommissioned generator and place at a site as directed by	Item	1		
	the Authorized KRA officer				
3	Construct plinth for generator of 100mm high measuring 4050mm x	Item	1		
	2000mm for mounting of a generator.				
4	Construct a generator shade with slanting IT4 profile coated G28 CGI	Item	1		
	sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately				
	cover the generator on item 1 but using hollow square tubes measuring				
	50mm x 50mm at the corners but well supported in between the corners				
	and offering adequate space for the doors on 4 sides. All side panels to be				
	lockable				
5	Supply, deliver, install, test and commission a 250KVA water-cooled	No.	1		
	diesel engine generator set complete with canopy and auto mains failure				
	DIGITAL control module.				

Item	Description	Unit	Qty	Rate	Amount
	The engine must have an oil lift pump for sump drainage.				
6	Supply and install a 400Amp automatic change over switch complete	No.	1		
	with triple pole and neutral contactors and mechanical interlock as ABB				
	or approved equivalent for both power and generator operation. The				
	change over switch must in corporate by – pass switches. The panel				
	should include the following;				
	Generator voltages				
	• Mains on delay timer				
	Mains off delay timer				
	Control 11 pin relay				
	Generator on use indicator lamp				
	Mains on use indicator lamp				
	Mains available indicator lamp				
	Generator cool down timer				
7	Supply and install a 95 mm ² 4 core PVCSWAPVC copper cable from the	Mts.	96		
	generator to the change over switch using 32mm brass cable gland on				
	both sides. The cable termination shall be by use of tinned cable lugs.				
8	Reroute the existing 2.5 mm ² 4-core PVCSWAPVC copper cable for	Mts.	96		
	generator signal using 20mm brass cable gland on both sides.				
9	Quarterly maintenance including all spares and consumables (filters,	No.	8		
	coolant and lubricants)				
10	Provide Contingency of 10% of Sub-Total				
Sub -	total				
16% V	/AT (where applicable)				
GRAN	ND TOTAL				
(To be	e carried to the form of tender)				

LOT 4: KESRA – Mombasa

Name of tenderer	Tender Number	Page	of
------------------	---------------	------	----

	Unit	Qty	Rate	Amount
Decommission the existing generator, carefully listing an inventory of the existing components (e.g. Changeover switch, terminals, etc.)	Item	2		
Relocate the decommissioned generator and place at a site as directed by the Authorized KRA officer	Item	2		
Construct plinth for generator of 100mm high measuring 4050mm x 2000mm for mounting of a generator.	Item	2		
Construct a generator shade with slanting IT4 profile coated G28 CGI sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately cover the generator on item 1 but using hollow square tubes measuring 50mm x 50mm at the corners but well supported in between the corners and offering adequate space for the doors on 4 sides. All side panels to be lockable	Item	2		
Supply, deliver, install, test and commission a 250KVA water-cooled diesel engine generator set complete with canopy and auto mains failure DIGITAL control module. The engine must have an oil lift pump for sump drainage.	No.	2		
Supply and install a 400Amp automatic change over switch complete with triple pole and neutral contactors and mechanical interlock as ABB or approved equivalent for both power and generator operation. The change over switch must in corporate by – pass switches. The panel should include the following; • Generator voltages • Mains on delay timer • Mains off delay timer • Control 11 pin relay • Generator on use indicator lamp	No.	2		
	 existing components (e.g. Changeover switch, terminals, etc.) Relocate the decommissioned generator and place at a site as directed by the Authorized KRA officer Construct plinth for generator of 100mm high measuring 4050mm x 2000mm for mounting of a generator. Construct a generator shade with slanting IT4 profile coated G28 CGI sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately cover the generator on item 1 but using hollow square tubes measuring 50mm x 50mm at the corners but well supported in between the corners and offering adequate space for the doors on 4 sides. All side panels to be lockable Supply, deliver, install, test and commission a 250KVA water-cooled diesel engine generator set complete with canopy and auto mains failure DIGITAL control module. The engine must have an oil lift pump for sump drainage. Supply and install a 400Amp automatic change over switch complete with triple pole and neutral contactors and mechanical interlock as ABB or approved equivalent for both power and generator operation. The change over switch must in corporate by – pass switches. The panel should include the following; Generator voltages Mains on delay timer Control 11 pin relay 	existing components (e.g. Changeover switch, terminals, etc.)Relocate the decommissioned generator and place at a site as directed by the Authorized KRA officerConstruct plinth for generator of 100mm high measuring 4050mm x 2000mm for mounting of a generator.Construct a generator shade with slanting IT4 profile coated G28 CGI sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately cover the generator on item 1 but using hollow square tubes measuring 50mm x 50mm at the corners but well supported in between the corners and offering adequate space for the doors on 4 sides. All side panels to be lockableSupply, deliver, install, test and commission a 250KVA water-cooled diesel engine generator set complete with canopy and auto mains failure DIGITAL control module.The engine must have an oil lift pump for sump drainage.Supply and install a 400Amp automatic change over switch complete with triple pole and neutral contactors and mechanical interlock as ABB or approved equivalent for both power and generator operation. The change over switch must in corporate by – pass switches. The panel should include the following;• Generator voltages • Mains on delay timer • Mains off delay timer • Control 11 pin relay • Generator on use indicator lamp	existing components (e.g. Changeover switch, terminals, etc.)ItemRelocate the decommissioned generator and place at a site as directed by the Authorized KRA officerItem2Construct plinth for generator of 100mm high measuring 4050mm xItem22000mm for mounting of a generator.Item2Construct a generator shade with slanting IT4 profile coated G28 CGI sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately cover the generator on item 1 but using hollow square tubes measuring 50mm x 50mm at the corners but well supported in between the corners and offering adequate space for the doors on 4 sides. All side panels to be lockableItem2Supply, deliver, install, test and commission a 250KVA water-cooled diesel engine generator set complete with canopy and auto mains failure DIGITAL control module. The engine must have an oil lift pump for sump drainage.No.2Supply and install a 400Amp automatic change over switch complete with triple pole and neutral contactors and mechanical interlock as ABB or approved equivalent for both power and generator operation. The change over switch must in corporate by – pass switches. The panel should include the following;2Generator voltages Mains off delay timer Control 11 pin relay Generator on use indicator lamp	existing components (e.g. Changeover switch, terminals, etc.)Item2Relocate the decommissioned generator and place at a site as directed by the Authorized KRA officerItem2Construct plinth for generator of 100mm high measuring 4050mm x 2000mm for mounting of a generator.Item2Construct a generator shade with slatting IT4 profile coated G28 CGI sheets roof, and G12 50mmx50mm weld mesh side panels, to adequately cover the generator on item 1 but using hollow square tubes measuring 50mm x 50mm at the corners but well supported in between the corners and offering adequate space for the doors on 4 sides. All side panels to be lockableNo.2Supply, deliver, install, test and commission a 250KVA water-cooled diesel engine generator set complete with canopy and auto mains failure DIGITAL control module. The engine must have an oil lift pump for sump drainage.No.2Supply and install a 400Amp automatic change over switch complete with triple pole and neutral contactors and mechanical interlock as ABB or approved equivalent for both power and generator operation. The change over switch must in corporate by – pass switches. The panel should include the following;No.2• Generator voltages • Mains off delay timer • Control 11 pin relay • Generator on use indicator lampItemItemItem

Item	Description	Unit	Qty	Rate	Amount
	Mains available indicator lamp				
	Generator cool down timer				
7	Supply and install a 95 mm ² 4 core PVCSWAPVC copper cable from the	Mts.	200		
	generator to the change over switch using 32mm brass cable gland on				
	both sides. The cable termination shall be by use of tinned cable lugs.				
8	Reroute the existing 2.5 mm ² 4-core PVCSWAPVC copper cable for	Mts.	200		
	generator signal using 20mm brass cable gland on both sides.				
9	Quarterly maintenance including all spares and consumables (filters,	No.	16		
	coolant and lubricants)				
10	Provide Contingency of 10% of Sub-Total				
Sub -	total				
16% \	VAT (where applicable)				
GRA	ND TOTAL				
(To b	e carried to the form of tender)				

NOTE: Award shall be on a lot-by-lot basis.



ISO 9001:2015

SITE VISIT FORM

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF 250 KVA GENERATORS FOR VARIOUS STATIONS

LOT 1: LUNGA LUNGA LOT 2: ISEBANIA LOT 3: MALABA LOT 4: KESRA - MOMBASA

Signed Signed

Date *Date*

SECTION VIII - STANDARD FORMS

Notes on the Sample Forms

- 1 *Form of Tender* The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
- 2 *Confidential Business Questionnaire Form* This form must be completed by the tenderer and submitted with the tender documents.
- 3 *Tender Security Form* When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.
- 4 *Contract Form* The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
- 5 *Performance Security Form* The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.
- 6 *Bank Guarantee for Advance Payment Form* When Advance payment is requested for by the successful bidder and agreed by the procuring entity, this form must be completed fully and duly signed by the authorized officials of the bank.
- 7 *Manufacturers Authorization Form* When required by the ender documents this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.
- 8 *Anti Corruption Affidavit* This form will be completed by the bidder's authorized representative and it must be sworn before a commissioner of oaths or equivalent according to applicable laws in the country of the bidder.

8.1 FORM OF TENDER

Date	
Tender No.	

To: KENYA REVENUE AUTHORITY P. O. BOX 48240 – 00100 NAIROBI.

Gentlemen and/or Ladies:

1. Having examined the tender documents including Addenda

Lot 1 Lunga Lunga: for the sum of

2. We undertake, if our Tender is accepted, to deliver install and commission the equipment in accordance with the delivery schedule specified in the Schedule of Requirements.

3. If our Tender is accepted, we will obtain the guarantee of a bank in a sum of equivalent to ______ percent of the Contract Price for the due performance of the Contract , in the form prescribed by(*Procuring entity*).

4. We agree to abid by this Tender for a period of **335 days** from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

5. This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us. Subject to signing of the Contract by the parties.

6. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this	day of	20
signature]		[in the capacity of]
Duly authorized to sign	tender for an on behalf o	of



8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

You are requested to give the particulars indicated in Part 1; either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business; and Part 3.

You are advised that it is a serious offence to give false information on this form.

	Part 1 – General
1.1	Business Name
1.2	Location of Business Premises.
1.3	 Plot No Street/Road
1.4	Postal Address
1.5	Registration Certificate No.
1.6	Maximum Value of Business which you can handle at any one time – Kshs.
1.7	Name of your BankersBranch
	Part 2 (a) – Sole Proprietor
2a.1	Your Name in Full Age
2a.2	• Citizenship Details
	Part 2 (b) Partnership
2b.1	Given details of Partners as follows:

2b.2	Name	<u>Nationality</u>	Citizenship Details	Shares	
	1	•••••••••••••••••••••••••••••••••••••••			
	2				
	3				
	л				
		Part 2 (c) – Regis	tered Company		
2c.1	Private or Public		. .		
2c.2	State the Nominal	and Issued Capital of Co	2002		
20.2			iipany-		
2c.3	Given details of all	Directors as follows			
	Name	<u>Nationality</u>	Citizenship Details	<u>Shares</u>	
				••••••	
	2.				
			•••••		
	3.				
	4.				
	5				
		Part 3 – Eligi	bility Status		
3.1	Are you related to a	an Employee, Committee	Member or Board Member	of Kenya	
2.2	Revenue Authority		.		
3.2	If answer in '3.1' is	YES give the relationsh	up.		
			•••••••		
3.3	Does an Employee, Committee Member, Board Member of Kenya Revenue Authority sit in the Board of Directors or Management of your Organization, Subsidiaries or Joint Ventures? Yes No				
3.4		bove is YES give details			
5.1			•		
I			• • • • • • • • • • • • • • • • • • • •	•••••	

.....

- 3.5 Has your Organization, Subsidiary Joint Venture or Sub-contractor been involved in the past directly or indirectly with a firm or any of its affiliates that have been engaged by Kenya Revenue Authority to provide consulting services for preparation of design, specifications and other documents to be used for procurement of the goods under this invitation? Yes_____ No_____
- 3.6 If answer in '3.5' above is **YES** give details.
- 3.7 Are you under a declaration of ineligibility for corrupt and fraudulent practices? YES____No____
- 3.8 If answer in '3.7' above is **YES** give details:
- 3.9 Have you offered or given anything of value to influence the procurement process? Yes _____No_____
- 3.10 If answer in '3.9' above is **YES** give details

.....

.....

.....

.....

I DECLARE that the information given on this form is correct to the best of my knowledge and belief.

Date Signature of Candidate

• If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or registration.

8.3 <u>TENDER SECURING DECLARATION FORM</u>

[The Bidder shall fill in this Form in accordance with the instructions indicated] Date: [insert date (as day, month and year) of Bid Submission] Tender No..... To: Kenya *Revenue Authority* We, the undersigned, declare that: We understand that, according to your conditions, bids must be supported by a 1. Tender Securing Declaration. We accept that we will automatically be suspended from being eligible for 2. bidding in any contract with the Purchaser for the period of time of[insert obligation(s) under the bid conditions, because we: have withdrawn our Bid during the period of bid validity specified by us in the (a) Bidding Data Sheet; or having been notified of the acceptance of our Bid by the Purchaser during the (b) period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Tenderers. 3. We understand this Tender Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid. 4. We understand that if we are a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid. If the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent. Signed:[insert signature of person whose name and capacity are shown] In the capacity of [insert legal capacity of person *signing the Bid Securing Declaration*] Name:/insert *complete name of person signing the Tender Securing Declaration*] Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder] Dated on ______, _____, *[insert date of signing]*

8.4 CONTRACT FORM

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:

2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:

- (a) the Tender Form and the Price Schedule submitted by the tenderer
- (b) the Schedule of Requirements
- (c) the Technical Specifications
- (d) the General Conditions of Contract
- (e) the Special Conditions of contract; and
- (f) the Procuring entity's Notification of Award

3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by ______ the _____ (for the Procuring entity

Signed, sealed, delivered by ______ the ______ (for the tenderer in the presence of ______

8.5 **PERFORMANCE SECURITY FORM**

To Kenya Revenue Authority

WHEREAS [i	name of tenderer] (herein	after called		
"the tenderer") has undertaken, in pursuance of Contract No.				
[reference number of the contract] dated	20	to		
supply	[description of goods]	(hereinafter		
called "the Contract").				

AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer's performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

This guarantee is valid until the _____ day of _____ 20 ____

Signed and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

8.6 BANK GUARANTEE FOR ADVANCE PAYMENT FORM

To Kenya Revenue Authority

[name of tender]

Gentlemen and/or Ladies:

We further agree that no change or addition to or other modification of the terms of the Contract to be performed there-under or of any of the Contract documents which may be made between the Procuring entity and the tenderer, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

8.7 MANUFACTURER'S AUTHORIZATION FORM

To Kenya Revenue Authority

Iname of the WHEREAS manufacturer] who are established and reputable manufacturers of [name and/or description of the goods] having factories at [address of factory] do hereby authorize [name and address of Agent] to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

8.8 LETTER OF NOTIFICATION OF AWARD

Kenya Revenue Authority P.O Box 48240 – 00100, Nairobi.

То:_____

RE: Tender No._____

Tender Name_____

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

- 1. Please acknowledge receipt of this Letter of Notification signifying your Acceptance.
- 2. The Contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
- 3. You may contact the officer(s) whose particulars appear below on the subject matter of this Letter of Notification of Award.

Deputy Commissioner, Supply Chain Management, Haile Selassie Avenue, Times Tower, 25th Floor Telephone: +254-020-2817022 Website www.kra.go.ke

FOR: Commissioner-General

